

INNOVATIVE


QUALITY

CUSTOMIZABLE

CLIENT-FOCUSED

EASY INSTALL

Access Product Incorporated strives to provide unique and smart solutions to the power and data needs of those within hospitality, education, and office environments. It is our desire to create and sell modern products at an affordable price point that are visually pleasing and extremely functional.





## BTC Series -Standard model

### -Large

Three power / Two 5V USB / One RJ45 data / One VGA / One HDMI & 3.5mm Audio


### -Small

Two power / Two 5V USB

## BTC Series -Custom model








### Options

- Wireless charger
- North American 110 Volt Power Outlet
- International 220/110 Volt Power Outlet
- Universal -Style/ Multiple Country Plug Outlet
- RJ- 45 Category 5e Data Port
- RJ- 45 Category 6 Date Port
- RJ- 11 Phone Port
- DE- 15 VGA Video Connector
- HDMI Video Connector
- USB Pass- Through Data Port
- USB 5 Volt Power Outlet (Compatible with charging iPhone and Android phones)
- 3.5mm Mini- Style Audio Jack
- Microphone Jack
- RCA Component Audio Connectors
- RCA Component Video Connector
- S- Video Connector
- Infrared sensor detects obstruction
   Customized color
- Silver
- Black
- Custom color available





### **HOS-01 Series**

- Two power
- Two 5V USB
- Color: Silver only
- Cord length: 2m (6ft)
- UL cUL CE Approved

# BTC Standard model-Small HOS-01 Series Size comparison







### **SAT-01 Series**

- Two power

- Two 5V USB

- Color: Silver only

- Cord length: 2m (6ft)

- UL cUL CE Approved








### **CK06 Series**

- User optional mounted on the top of the table or below the work surfaces
- Two power receptacles
- Two 5V USB
- With wireless charger optional. Can only be placed on top surface mount unit
- White color only
- Cord length: 2m (6ft)
- Daisy chain cord can link multiple units up to eight units
- UL cUL CE Approved



### **CK01 Series**

- Two power
- Two 5V USB
- Color: silver only
- Cord length: 2m (6ft)
- Daisy chain cord link eight units maximum
- UL cUL CE Approved
- Can be linked up to 8 units



## **Product Specifications**

	Receptacles	5V USB	Data	VGA	НДМІ	Cord length
BTC Series -Standard model Large	3	2	1	1	1	4 m (12ft)
BTC Series -Standard model Small	2	2	Х	х	Х	4 m (12ft)
BTC Series -Custom model With wireless option	- This style can be customized					2m(6ft) 4m(12ft)
HOS-01 Series	2	2	х	Х	Х	2m(6ft)
SAT-01 Series	2	2	х	Х	Х	2m(6ft)
CK06 Series	2	2	Х	Х	Х	2m(6ft)
CK06 Series Top mount with wireless option	2	2	Х	Х	х	2m(6ft)
CK01 Series	2	2	Х	х	Х	2m(6ft)

